




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04N 7/088, 5/445		A1	(11) International Publication Number: WO 98/53609
			(43) International Publication Date: 26 November 1998 (26.11.98)
(21) International Application Number: PCT/US98/10315		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 21 May 1998 (21.05.98)			
(30) Priority Data: 08/861,741 22 May 1997 (22.05.97) US			
(71) Applicant: SOUNDVIEW TECHNOLOGIES INCORPORATED [US/US]; Two Soundview Drive, Greenwich, CT 06830 (US).			
(72) Inventors: BROWNE, H., Lee; 129 Round Hill Road, Greenwich, CT 06831 (US). ELAM, Carl, M.; 9521 Horn Avenue, Perry Hall, MD 21236 (US). SCHMIDT, David, H.; 10 Juniper Road, Rowayton, CT 06853 (US).			
(74) Agents: GARRETT, Arthur, S. et al.; Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P., 1300 I Street, N.W., Washington, DC 20005-3315 (US).		Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: **PERSONAL TELEVISION EDITING SYSTEM**

(57) Abstract

A personal editing apparatus and method allowing a user to enter program selection criteria and based on those criteria, and received extended data, display personalized programming information to the user.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

PERSONAL TELEVISION EDITING SYSTEM

Background of the Invention

The present invention relates generally to a personal information system and a method for obtaining personalized information regarding television programming.

5 With the advent of cable, satellite, and other systems providing television viewers with a large number of television channels to choose from, often in excess of 150, "channel surfing" is a widely practiced activity. While "surfing," viewers look at small segments of programs to determine their desirability, often looking at many program segments until finding a suitable program. To compound the problem of choosing among the vast amount of available programming, the viewer must also
10 view commercials and wait for them to end to determine the content or the type of program on that channel.

Often, the time spent channel surfing causes the viewer to begin viewing a desired program several minutes into the show, which is not the most desirable circumstance. Thus, it would be advantageous for the viewer to be able to minimize
15 the time required to find the type of programming he wants to watch, including categories of programming such as drama, music, history, etc.

Conventional systems blank the reception of television shows based on the content of the received programming. U.S. Patent No. 4,554,584 issued to Elam et al. discloses a video and audio blanking system. In Elam et al., a selector at the
20 television receiver controls the content of programming which may be viewed or heard using a rating system. The ratings may be the well-known "G", "PG", and "R" ratings typically used for movies. According to Elam et al., a television user can select a rating level and whenever programming having that level or a higher level is received, the receiver will blank the audio or video signals or both.

25 Although the television editing system disclosed in Elam et al. is useful to blank incoming signals based on the content and type of program, it would be advantageous for the television to also assist the viewer in selecting programs of the desired type.

PCT application number PCT/GB82/00352 of Chard discloses active or passive editing and selection of television programming that can depend on the type or content of the programming. Chard discloses active program type selection using continuous cyclic sampling of the received channels to find a program meeting the selected type criteria. Chard discloses an "active selection" scheme for finding a desired program in which the system automatically scans the channel controls for a program of the desired "type". For "passive selection," the viewer manually scans the channels and the system blanks all programs of types not desired, so the viewer only accesses channels with desired types of programs.

Thus, though Chard performs editing based on program type, the Chard system does not provide a summary or listing of all suitable programming that meets the viewer's selection criteria. Additionally, in both active and passive editing, the Chard system selects only one channel for viewing without informing the viewer of equally suitable alternate channels or programs.

Conventional systems also provide a scrolling program guide to viewers, showing, for example, in one-half hour increments what is available on every channel that the programming provider provides, even if the viewer does not subscribe to the programming for all channels. While such program guides provide valuable information to viewers, they cannot be modified. For example, a viewer cannot set parameters for the type and time frame of desired programming information, so the conventional program guides generally provide too much information and are often not particularly helpful in allowing the viewer to focus on programming of a desired type.

It is therefore a primary desire of the present invention to provide a system and method for controlling the channels or programs that a television receiver displays for viewing, based on the program type. The system and method should also provide a display listing all available programming of the type desired.

Another desire of the present invention is to provide a personal television editing system in which viewers can select whether or not to receive specific types of programming.

Other desires of the present invention are to provide a method of automatically selectively editing the type of programming that a viewer can watch, to effect control of the television display and sound automatically, and to provide a system and method for effecting such automatic control according to the selection of several different program content designations or codes.

A further desire of the present invention to provide a personal television editing system and method that allow a television viewer to reduce the number of channels that must be searched by actual viewing to find the desired program in which the viewer has an interest.

Additional objectives, features, and advantages of the invention will be set forth in the description which follows, and in part will be apparent from the description, or may be learned by practice of the invention. The objectives and other advantages of the invention will be realized and attained by means of the instrumentalities and combinations particularly pointed out in the written description and appended claims hereof, as well as the appended drawings.

Summary of the Invention

To achieve these and other advantages and in accordance with the purposes of the invention, as embodied and broadly described, the television editing apparatus consistent with this invention comprises an input device for receiving and buffering externally provided television programming information, a data sorter for extracting and sorting extended data associated with the input television programming information, memory means for separately storing the extended data, a user control for inputting television programming criteria to identify programming, and a display controller, coupled to the memory means, for controlling display of personalized information about television programming based on the stored extended data and the television programming criteria.

Also consistent with the present invention the television editing apparatus comprises an input device for receiving and buffering externally provided television programming information, a user control for inputting television programming criteria to identify programming, a program history library for storing information related to

viewing habits of a user of the television editing apparatus based on the input television programming criteria, and a display controller, coupled to the memory means, for controlling display of personalized information about television programming based on the stored information in the program history library.

5 A method of editing program displays consistent with this invention comprises causing a television receiver to acquire extended data from received television programming, entering program parameters identifying desired programming, building a list of program information based on the extended data and the desired program parameters, and displaying the list of program information.

10 Further, a method of editing program displays consistent with this invention comprises receiving and buffering externally provided television programming information, inputting television programming criteria to identify programming, storing information in a program history library related to viewing habits of a user based on the input television programming criteria, and controlling display of
15 personalized information about television programming based on the stored information in the program history library.

Both the foregoing general description and the following detailed description provide descriptions of embodiments and provide further explanation of the invention as claimed. The descriptions are not intended to limit the scope of the claims.

20 Brief Description of the Drawings

The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate presently preferred implementations consistent with the invention and, together with the general description given above and the detailed description of the preferred implementations given below, explain the principles of the
25 invention.

In the Drawings:

Fig. 1 is a block diagram of a personal television editing system consistent with the present invention.

30 Figs. 2(a) - 2(d) are exemplary television screens that may appear using the personal television editing system of Fig. 1.

Fig. 3 shows a screen of exemplary program information compiled according to the criteria set in Figs. 2(a) through 2(d).

Fig. 4 shows a non-criteria screen that may appear using the personal editing system of Fig. 1.

5 Fig. 5 is an exemplary table of descriptive keywords and the associated codes used to categorize television programming.

Fig. 6 is a flow diagram illustrating the personal editing process consistent with the present invention.

10 Figs. 7(a) and 7(b) are block diagrams of a second personal editing system consistent with the present invention.

Fig. 8 is a block diagram of the personal editing apparatus shown in Fig. 7(b).

Fig. 9 is a block diagram of a third personal editing system consistent with the present invention.

15 Fig. 10 is a block diagram of the personal editing/V-chip apparatus shown in Fig. 9.

Fig. 11 is a block diagram of a fourth personal editing system consistent with the present invention.

Fig. 12 is a more detailed block diagram of the personal editing apparatus shown in Fig. 11.

20 Fig. 13 is a block diagram of a fifth personal editing system consistent with the present invention.

Fig. 14 is a more detailed block diagram of the personal editing apparatus shown in Fig. 13.

25 Fig. 15 is a block diagram of a sixth personal editing apparatus consistent with the present invention.

Detailed Description of the Invention

Reference will now be made in detail to the construction and operation of preferred implementations of the present invention, which are illustrated in the accompanying drawings. In those drawings, like elements and operations are
30 designated with the same reference numbers.

Fig. 1 is a block diagram of a personal television editing system 100 consistent with the present invention. Personal editing system 100 can be part of a television receiver or can be constructed as a retrofit apparatus. As shown in Fig. 1, a tuner 102 receives RF transmissions from antenna 101. Tuner 102 could also receive input signals from a cable or a direct broadcast satellite (DBS) or any other suitable device that transmits television signals. Tuner 102 may be a conventional television tuner and is coupled to audio and video circuits 103. The audio signals are output from the audio and video circuits 103 on audio line 104, while the video signals are output on video line 105. The video signals are output to a video switch 116, which outputs signals to a signal receiver 119, while the audio signals are output to a speaker 118.

The video circuits of the audio and video circuits 103 are preferably connected to a data slicer/buffer 106, which extracts information about the programming received by the tuner 102. In the case of a digital television system, a microprocessor and interconnecting data bus would be used in lieu of the video circuits. The extracted information may include, for example, extended data for the current program in accordance with current EIA standards. The extended data may also include current class in-band and out-of-band, future class in-band and out-of-band, and channel information class and can include data regarding current programs on other channels and future programs on the same and other channels. The extended data may include information regarding the program name, any title associated with the program, date and time of the program, channel number, the program content rating, and the program type. A real time clock 120, connected to program data library 109, enables the personal editing system to determine whether information stored in the program data library is pertinent to the present viewing time and date. In a digital television system data containing information as extended data would be extracted by the microprocessor and interconnecting data bus. It is noted that the extended data associated with the received television programming can be received as a part of the programming or separately therefrom, as described in greater detail below.

5 The information is extracted in the data slicer/buffer 106 and then passed to data sorter 107. The data sorter 107 sorts the extracted data and outputs program data to a program data library 109, caption data to caption data memory 110, and text data to text data memory 111. The data sorter operates using the EIA class codes assigned to the extended data. The class codes earmark the data with respect to its purpose, for example, program name. Data sent to the program data library 109 includes program name or title, time of the program, date of the program, channel number, and program category or type. Data sent to caption data memory 110 includes, for example, captioning text for screen display, and data sent to text data memory 111 includes text data for screen display.

10 A viewer preferably activates and controls the personal editing system 100 via the user controls 114. User controls 114 may be an infrared remote, a data entry mechanism, such as a keyboard or a card reader, or any other suitable type of information input mechanism, such as a scanner, a magnetic disc reader, and a memory recording device. Through the user controls 114, the viewer can enter information to identify a desired type of programming. The viewer can also use user controls 114 to enter information to identify the type of programming not desired. The viewer enters such program information based on different parameters. Viewer selection of desired parameters is discussed in greater detail with respect to Figs. 2(a) through 2(d).

20 The user selections entered via user controls 114 are sent to the display circuit controller 113, which is a microprocessor or microcontroller of the type designed for processing and displaying extended data, captioning data, and text data within television receivers. The user control selections activate the display circuit controller 113 to display the desired personal editing display screens. These displays preferably provide displays of currently available and future programs of the types chosen by the viewer or other types not eliminated by the viewer. From these display screens, the viewer can, by using cursor movement for example, command the receiver or adapter box to tune the television to a desired channel or program.

Program data library 109 acquires data in its database by constantly monitoring the extended data present on the channel to which the television receiver is tuned. Library 109 is preferably a RAM containing the program information that display circuit controller 113 displays on the screen. Program data library 109 sends this information to program listing formatter 112, which formats the data for display on the screen.

The formatted data is sent to display circuit controller 113, which may also receive caption data and text data respectively from caption data memory 110 and text data memory 111. Display circuit controller 113 can be used to display only caption data from caption data memory 110 and text data from text data memory 111. Display information from program data library 109, caption data memory 110, or text data memory 111, is sent from the display circuit controller 113 along video line 117 to video switch 116.

A composite signal is then sent to the screen. Preferably, when the personal editing system 100 displays data, it replaces the current program picture with the personal editing system display, and mutes the sound. Alternatively, system 100 can display the current program picture and the personal editing system display at the same time, for example, the personal editing system display being within a picture-in-picture box on the display screen. The display output to the receiver may include a chart listing the programming available, both in the present and future, consistent with the criteria input at the user controls 114.

Figs. 2(a) - 2(d) are exemplary television screens that may appear when a user enters information into the personal editing system 100. As shown in Fig. 2(a), when the user activates user controls 114, shown in Fig. 2(a) as a remote control, on-screen display menu 201 appears. This menu preferably includes various options 202-207 that can be selected by the viewer. The options shown in Fig. 2(a) are not exhaustive and can be changed as desired. By selecting option 202, the user can have the current time and date displayed. The time and date can be set and modified by selecting option 203. By selecting option 204, the viewer can enter the categories or types of

programming to receive or block. A detailed description of option 204 is explained with respect to Figs. 2(b) through 2(d).

The viewer can elect to receive closed captioning by selecting option 205, and can select whether to receive programming with certain ratings in option 206. The ratings that can be selected in option 206 may correspond to the Motion Picture Association of America ratings of "G", "PG", "PG-13", "R" and "X", or can be another rating scheme. The viewer can select whether to receive programming that has, for example a rating of PG or lower. By selecting option 207, the viewer can elect to block the reception of certain channels altogether.

As shown in Fig. 2(a), user control 114 is shown as selecting option 204. Fig. 2(b) shows a representative menu 211 that may be displayed upon selection of option 204. The viewer is prompted to select and enter from the categories 212-217. The categories need not be limited to one screen, and the viewer can scroll to multiple screens if necessary in the selection process. As shown in Fig. 2(b), the viewer has selected category 216, soap operas.

After category selection, the user is prompted by the display/block screen 221, shown in Fig. 2(c). The user can elect to display the selected categories by selecting option 222 or can elect to block the selected categories by selecting option 223. Note that multiple selections may be made.

After making a selection from the display/block screen 221, the user sees an identification screen 231, shown in Fig. 2(d). This screen is optional and not required to perform the personal editing of the present invention. In the identification screen 231, the user can identify himself as one of several viewers 232-235 registered with system 100. The user may be required to enter a password or personal identification number (PIN) in PIN option 236. The password or PIN enables multiple viewers to enter and store program category selections. The PIN can be entered using the user control 114 or with another data entry device.

Identification screen 231 allows personal editing in different ways for different viewers. One or more of the viewers may also have control over certain of the viewing choices of other of the viewers. For example, the system according to the

present invention can be configured such that if viewer 1 sets a certain channel to be blocked, none of the other viewers can receive programming from that channel. The channel blocking would be achieved by the display circuit controller 113, inhibiting the channel controller 115 from selecting those channels and associated programs.

5 After making the selections, as shown in Figs. 2(a) through 2(d), personal editing system 100 is configured to display only the programming meeting the criteria selected, such as the type of programming, the time the programming is transmitted, or the content designation of the programming.

10 After receiving the personal identification parameters (Fig. 2(d)), program data library 109 and the program listing formatter 112 of Fig. 1 assemble a display screen of program information that meets the corresponding criteria. A graphical representation of that information may be displayed to the viewer. The graphical representation may include information about both current and future programming, and can be selected, for example, from a menu selection on the television. The
15 information about future programming is compiled from the extended data "future class" as set in the current EIA standards.

Fig. 3 shows a screen of exemplary program information compiled according to the criteria set in Figs. 2(a) through 2(d). Program information screen 301 can, for example, display information regarding the programming of a particular type that is
20 currently being or will be transmitted. As shown in Fig. 3, the category 302 is sports, and the program information screen can provide information regarding the channel 303, the time the program started or will start 304, as well as a description of the programming 305. Using control 114, the viewer can select one of the options from the program information screen 301, and the tuner 102, shown in Fig. 1, will be set to
25 receive the selected channel.

Screen 301 may include choices to go to a specific selection or scan all of the programs. If scanning is selected, each of the selections or some predetermined subset, may be automatically viewed for approximately ten seconds. Then the screen returns to the information screen 301.

If the viewer manually enters a program type selection that does not meet the input selection criteria, a screen such as that shown in Fig. 4 may appear. The "non-criteria" screen 401 preferably includes a message advising the viewer that the channel selected does not meet the editing instructions. When the viewer operates the user control 114 (Fig. 1), to select a channel that is not an allowed option, the display circuit controller 113 will inhibit the transfer of that selection.

Alternatively, manual input of a channel number via user control 114 can override selected ones of the editing instructions. This would allow manual entering of a channel number to override the category criteria, but not rating or channel blocking criteria.

With reference to Fig. 1, when the viewer operates the user controls 114 and selects a channel that differs from the categories (program type) selected, but agrees with the content rating, and which is not otherwise channel blocked, the display circuit controller 113 will compare the channel number or content rating with those specified by the viewer in Figs. 2(a) through 2(d). If there are no conflicts, the display circuit controller 113 will pass the channel request to the channel controller 115 for execution. The channel controller 115 will command the tuner 102 to then change to the selected channel.

As described above with respect to Figs. 2(a) through 2(d), personal editing choices can be made with regard to categories (program types) of programming. Fig. 5 shows table 501 that illustrates descriptive keywords and their associated codes. Preferably, the service provider, such as a cable provider, or the program producer, specifies using extended data codewords, all descriptive keywords that apply to a program. The corresponding code is then transmitted with the programming as extended data. In this manner, when a viewer enters one or more category or program type selections, system 100 compares the selections with the code associated with the incoming programming to determine whether the program meets the selection criteria.

Fig. 6 is a flow diagram illustrating a personal editing process consistent with the present invention. First, the receiver is activated (step 601) and the personal editing system acquires extended data from received programming. The extended

data provides information about current and future programs for the received channel and other channels. Then, as described in greater detail with respect to Figs. 2(a) through 2(d), the personal editing system allows the viewer to select desired program parameters (step 602). After the program parameters are entered, personal editing system 100 searches library data (step 603) and builds a list of program information according to the selection criteria (step 604). After the program list is constructed, the results are sent to the user (step 605). The output to the user can be simply a listing of programs or can be a graphical display. Then the user can enter a selection based on the displayed program information (step 606).

In addition, personal editing system 100 can compile a history of programs viewed, thereby giving trends regarding which channels and at what times desired programs will most likely be available based upon past viewing habits. The contents of this history are preferably displayed in a manner similar to the program information screen shown in Fig. 3, allowing the viewer to make a specific selection.

Fig. 7(a) is a block diagram of a second personal editing system 700 consistent with the present invention. System 700 differs from system 100 (Fig. 1) in its use of an IF probe 703 to detect program channel and other information. As shown in Fig. 7(a), a receiver 701, such as a television receiver, receives RF transmissions from an antenna 702. Alternatively, receiver 701 can receive input signals from a cable or a direct broadcast satellite or any other suitable device used for transmission of television programming, as shown in Fig. 7(b). Receiver 701 tunes to the RF transmissions using conventional tuners and produces an intermediate frequency (IF) signal for further amplification and filtering.

IF probe 703 may be an inductive probe and is coupled to the receiver 701 and is mounted on or within the television cabinet in an area that provides maximum pickup of the IF signals from the receiver 701. The IF probe 703 detects a small portion of the IF signal, and after amplifying the IF signal, performs an amplitude detection to detect the video signal. The detected video signal is routed to the personal editing apparatus 704 for digital data extraction. The personal editing apparatus 704, shown in Figs. 7(a) and 7(b) is external to the television and is

constructed as a retrofit device. System 700 has functions similar to that described above with respect to the first embodiment.

As shown in Fig. 7(a), the personal editing apparatus is used with a remote control 705. Remote control 705 preferably communicates with the personal editing apparatus using infrared signals, for example, whenever entering viewer preferences via cursor movements. Additionally, the remote control 705 sends and receives commands with respect to specific channel numbers rather than as an "up or "down" command. This is done because after personal editing instructions are entered, for example blocking particular channels, use of the "up" and "down" commands may be ambiguous. By issuing specific channel numbers the personal editing apparatus and the television know the specific channel number selected. To accommodate this feature, the remote control 705 has a memory device for storing the last channel number selected and includes a transceiver for relaying signals between the personal editing apparatus and the television.

To improve the signal quality of the video display screen, a signal switch 708 may be installed between local antenna 702 and receiver 701 to block reception of any incoming signals that might degrade the output on the video display screen. Signal switch 708 also provides a means for inhibiting the display of blocked channels. In addition, signal switch 708 insures that there is no interference between received programming and a signal output from a circuit such as display circuit controller 113, shown in Fig. 1.

Fig. 7(b) is a block diagram of an alternate configuration of system 700. As shown in Fig. 7(b), input programming can be received by a satellite or cable receiver 706 and a local antenna 707. As also shown in Fig. 7(b), the remote control 705 can be used to control each of the satellite or cable receiver 706, the personal editing apparatus 704, and the receiver 701. Similar to the configuration shown in Fig. 7(a), a signal switch 708 may be installed between local antenna 709, satellite or cable receiver 706 and the receiver 701.

Fig. 8 is a block diagram of personal editing apparatus 704 shown in Fig. 7(b). The signal from IF probe 703 is passed to sync signal recovery circuit 801, which

performs an amplitude detection on the video signal to detect the vertical and horizontal synchronization waveforms. These waveforms synchronize the clock oscillator 802 so control logic 803 can locate the appropriate video data line and field, for example, line 21 of field 2, to extract extended data.

5 The IF signal from IF probe 703 is also input to video detector 804 where it is amplitude detected to recover the composite video signal. The detected video waveform is then sent to data slicer 805 where the video waveform is converted to digital signals of standard logic levels. Data separator 806 extracts the data bits from the video signal by sampling the signal at the precise time the desired data is present.
10 For example, the extended data may be extracted from line 21 of picture field 2. In addition, data separator 806, similar to data sorter 107 (Fig. 1), differentiates between the various digital data items received and identifies and selects only those data items of interest and routes them to the program data library 807. With program data library 807, preferably only program information such as channel time, category, and title
15 data is routed; caption data is ignored.

 The data in the program data library 807 is sent to program listing formatter 112 (Fig. 1) and then to display controller 808. Display controller 808 can be used to display the results of the personal editing instructions input via remote control 705 and received via IR signal unit 809 and to display the personal editing selection
20 screens exemplified in Figs. 2(a) to 2(d). Display controller 808 interfaces with RF modulator 811 to sent the appropriate signals to receiver 701.

 Preferably, whenever the viewer wishes to access the personal editing apparatus program guide, a special remote control 705 will be used. Remote control 705 communicates with the IR signal unit 809, which in turn communicates viewer
25 commands to display controller 808. Display controller 808 accesses the required data from program data library 807 and constructs a video display screen, which is, in turn sent to RF modulator 811. RF modulator 811 outputs an RF signal with the video display thereon. The RF signal will be preset to use channel 2, 3, 4, or some other unused channel. When RF modulator 811 is used, display controller 808

operates signal switch 708 to block incoming signals from antenna 707 and satellite or cable receivers 706.

Display controller 808 sends a channel command for the preset channel through the channel selector 810, to IR signal unit 809. IR signal unit 809 will, in turn, send the channel command to the remote control 705, which repeats the signal back to receiver 701. Receiver 701 will thus be tuned to receive the video display from the RF modulator 811 on the preset channel.

The viewer can select the desired on-screen-displays, shown in Figs. 2(a) through 2(d), in the same manner as described with respect to the first embodiment. These displays allow the viewer to establish various program editing criteria and select specific channels to be viewed based upon the choices offered as illustrated in Fig. 3. In making these selections, the viewer will use remote control 705, which sends IR signals to the personal editing apparatus 704. Using personal editing apparatus 704 a cursor can be moved within the various screens, such as those shown in Figs. 2(a)-2(d), to change screens and menus and execute channel selection commands from the remote control 705. Because personal editing apparatus 704 does not directly change the channel going into the receiver 701, it must indirectly change the television channel to the desired program by sending an IR signal to the remote control 705, remote control 705 repeats or relays the signal or channel command signal to the receiver 701, as shown in Fig. 7(a). If the system shown in Fig. 7(b) is used, the remote control 705 repeats or relays the signal or channel command to the satellite or cable receiver 706. In this manner the personal editing apparatus 704 has the same features as system 100.

Remote control 705 is preferably designed such that when sending a channel command, the channel number is always transmitted, even when the viewer presses the channel "increment-up" or "decrement-down" buttons. This requires the remote control 705 to store in memory the last channel transmitted. This feature insures that the personal editing apparatus 704 always knows exactly which channel the receiver 701 or satellite/cable receiver 706 have been commanded to receive by the remote

control 705. This feature is particularly important for the personal editing apparatus when compiling data for a history of programs or channels viewed.

Fig. 9 is a block diagram of a third type of personal editing system 900 consistent with the present invention. The system shown in Fig. 9 includes a personal editing/v-chip apparatus 901. Apparatus 901 performs all of the personal editing features previously described as well as v-chip functions. That is, the system can be set so that programming having a rating higher than that preset by the viewer is blocked. Such a system is shown and described in U.S. application serial no. 08/780,294, which is incorporated herein by reference. The apparatus shown in Fig. 9 also includes a pin diode 902, which switches off input from antenna 702 when program data is being displayed. Such a pin diode can be incorporated in the previously described embodiments.

Fig. 10 is a block diagram of the personal editing/v-chip apparatus 901 shown in Fig. 9. The personal editing and v-chip circuits share much of the circuitry of the combined unit. They share the IF probe 703, sync signal recovery circuit 801, video detector 804, remote control 705, and pin diode switch 902. Both the personal editing and the v-chip functions require the capability to switch the incoming RF signal from the antenna to the television set. In general, the personal editing system 900 functions the same as system 700 (Fig. 7). The v-chip function in system 900 enhances the utility of the overall unit but requires very minor increases in circuitry since both functions (editing and V-chip) have many identical circuit requirements.

Fig. 11 is a block diagram of another personal editing system consistent with the present invention. As shown in Fig. 11, this system 1100 does not use an IF probe for detecting extended data containing program information from receiver 1101. Instead, system 1100 simply monitors the viewing habits (history) of those using the receiver 1101, either with or without satellite or cable reception. If each user enters an identification number (PIN), using remote control 705 or some other data entry device; or somehow separately identifies themselves, system 1100 can provide a personalized history permitting each viewer to easily find favored programs based upon time and day and other program selection criteria.

The personal editing apparatus 1102 monitors the channel selection activity of the remote control 705 and stores the data along with the time-of-day, day-of-week, and "on" and "off" commands to the receiver 1101. This data is correlated and stored in a program history library, described in greater detail in Fig. 12. Upon request from the viewer, the data is graphically displayed on television 1101 via an RF modulator on channels 2, 3 or 4, or any other unused channel. Use of system 100 permits, for example, parents to review the viewing history data of children. Preferably, display screens are provided giving a summary of channel numbers and times viewed for each user. This data can be presented in tabular or statistical form. The features of the personal editing apparatus 1102, including the use of the program history library 1201 can be incorporated in the other personal editing apparatuses described herein.

Fig. 12 is a block diagram of the personal editing apparatus 1102 shown in Fig. 11. Using the remote control 705, the viewer may select desired channels. Upon making a particular selection, the personal editing apparatus 1102 will send the channel number command to the remote control 705, which will in turn relay the channel number command to the receiver 701 (including satellite or cable receiver). The viewer may also directly select the preferred channel number using the remote control 705, and personal editing apparatus 1102 will monitor and store the selection.

As shown in Fig. 12, remote control input information is input to display controller 808. That information is sent to program history library 1201, which stores information about channels selected by the viewer. The clock 1203, coupled to the program history library 1201, records the time and day of week associated with the selected channels, and also provides a record of the duration that each channel is viewed. In this way, a history of viewed programming for a plurality of viewers or particular viewer can be constructed. Such a history is formatted by the program listing formatter 1202 which outputs the formatted signal to the display controller 808. The channel 2, 3, or 4 modulator 1203 modulates the history information for display on the receiver 701.

The personal editing apparatus 1102 shown in Figs. 11 and 12 differs from the previously described personal editing apparatuses in that it does not involve the use of

any extended data. Instead, personal editing apparatus 1102 compiles a history of past viewing habits based solely on channel number selected and the time of day and day of week the channel number was selected.

5 Fig. 13 is a block diagram of another personal editing system consistent with the present invention. This configuration does not contain an IF probe for collecting program data, but rather relies on a data input device as part of the personal editing apparatus 1301 for inputting data from an external source.

10 The personal editing apparatus 1301 can be used, for example, in instances in which the broadcaster does not include program related data, i.e., extended data, with the programming information. Rather, program related data is stored and accessed from a source distinct from the broadcast transmission. For instance, an Internet Web site may contain program related data concerning future programming such as in a "TV Guide" type format. This information is input to the personal editing apparatus 1301 by, for example, a modem on a regular basis, such as, once a week. The
15 program related data generally includes information such as program title, channel number, content description, and time and date of program. Other external sources for program related data include, for example, magnetic card data, telephone modem data, personal computer data, separate dedicated television channel data, radio signal data, satellite transmission data, etc.

20 Fig. 14 is a block diagram of the personal editing apparatus 1301 connections to the receiver 701 satellite or cable receiver 706 and signal switch 708 are the same as shown and described with respect to Fig. 1, as shown in Fig. 13. The personal editing apparatus 1301 includes a data input device 1401, which receives the program related data from the external source, as described above. Data input to the data input
25 device 1401 is preferably stored in the program library 1402 and can be graphically displayed to the viewer upon demand. Using this data, the viewer can make channel selections using the remote control 705 by means of cursor movements or direct channel number commands to the television receiver (including satellite or cable receiver). As in the other embodiments, this embodiment also preferably includes the
30 viewing history data library to allow viewers to return easily to their most often

viewed channels at various times of day and days of the week. The external data sources listed above included telephone modem data and personal computer data. To access these data, a telephone modem or a personal computer to which the personal editing unit is connected, will automatically dial up and connect to a television program data source. This data source will contain program information such as channel number, program title, start time, program length, movie rating, content descriptors (type), etc. This information will be tailored to the viewing location and program source (cable, satellite, etc.) used by the viewer. On a regular basis, for example, once per day, the personal editing apparatus 1301 may direct the telephone modem or personal computer to interface with the program data source.

Alternatively, the personal computer may independently establish the interface with the television program data source and subsequently transfer the data to the personal editing apparatus 1301. At some prior time, the viewer will have entered within the personal editing apparatus 1301 using a menu screen and cursor, or within the personal computer, using the keyboard, information describing his geographic location and program source (cable, satellite, etc.). The system will automatically download the appropriate program information into the program library 1402. After the information has been retrieved, the system will automatically disconnect from the data source.

The external data sources may also include a radio receiver. This might be of the type used for paging services. The radio receiver would preferably receive, on a daily basis, program information as described above. When using a radio receiver, the viewer may furnish information to the data provider describing the program source (cable, satellite, etc.) and the viewer's geographic location. In a similar manner, the radio receiver might also be a portion of a television set receiver or satellite receiver which automatically tunes to a specific channel on a daily basis for the purpose of gathering program data, as described above. The specific channel to which the television receiver or satellite receiver automatically tunes will be dedicated to sending program data specifically to aid viewers in selecting programs for viewing.

Figure 15 is a block diagram of another personal editing system consistent with the present invention. Fig. 15 illustrates a fiber optic data system in which telephone, cable TV, etc. are conveyed over a common wide-band (1.5 Mbs to 30 Mbs) two way system 1502. In such a system, each user or subscriber will select one or more television programs (one for each set in use or for each picture-in-picture) from those available within the cable TV data source. Digital data for the channels/programs selected, will be switched and sent to the home television equipment 1501, which will display the programs. The actual switching of the channel or program data takes place within the central office equipment 1503. Personal editing apparatus is implemented within the home equipment television controller 1504 as an aid to program selection. The television controller 1504 is supplied continuously with program guide information, as described above, from the central office equipment 1503. The personal editing apparatus operates as described in the previous embodiments.

While some systems and methods consistent with the present invention have been described, those skilled in the art understand that various changes and modifications may be made, and equivalents may be substituted for elements thereof without departing from the scope of the present invention.

In addition, many modifications may be made to adapt a particular element, technique or implementation to the teachings of the present invention without departing from the central scope of the invention. Therefore, it is intended that this invention not be limited to the particular embodiments and methods disclosed herein, but that the invention involve all embodiments falling within the scope of the appended claims.

Claims:

1. A television editing apparatus comprising:
 - an input device for receiving and buffering externally provided television programming information;
 - a data sorter for extracting and sorting extended data associated with the input television programming information;
 - memory means for separately storing the extended data;
 - a user control for inputting television programming criteria to identify programming; and
 - a display controller, coupled to the memory means, for controlling display of personalized information about television programming based on the stored extended data and the television programming criteria.
2. The television editing apparatus according to claim 1, wherein the input device includes means for receiving the television programming information from one of an antenna, a cable, a direct broadcast satellite, a fiber optic cable, and a telephone line.
3. The television editing apparatus according to claim 1, wherein the extended data is input from one of a television, radio, telephone line, and external storage device.
4. The television editing apparatus according to claim 1, wherein the user control comprises one of an infrared remote control, a keyboard, a card reader, a scanner, and a magnetic disc reader, and a memory recording device.
5. The television editing apparatus according to claim 1, wherein the apparatus is incorporated within a television receiver.
6. The television editing apparatus according to claim 1, wherein the apparatus is external to a television receiver.
7. The television editing apparatus according to claim 1, wherein the display controller includes means for coupling to a television receiver.

8. The television editing apparatus according to claim 6, wherein the input device includes means for receiving the television programming information via an IF signal output from the television receiver.
9. The television editing apparatus according to claim 8, wherein the input device further comprises an IF probe coupled to the television receiver for detecting the IF signal output from the television receiver.
10. The television editing apparatus according to claim 7, wherein the coupling means comprises a video-out connection.
11. The television editing apparatus according to claim 1, further comprising v-chip circuitry to prevent display of television programming having a rating greater than a preselected rating.
12. The television editing apparatus according to claim 1, wherein the user control comprises an infrared remote control comprising:
 - a memory device for storing a previously selected channel number; and
 - a signal transceiver for relaying signals between the apparatus and a receiver.
13. The television editing apparatus according to claim 1, wherein a plurality of users can input television programming criteria such that the display controller controls display of personalized information regarding each of the plurality of users.
14. The television editing apparatus according to claim 1, wherein the personalized information is displayed as a picture within a picture on a television display screen.
15. The television editing apparatus according to claim 1, further comprising scanning and displaying means for scanning and displaying selected television programs identified by the personalized information.
16. The television editing apparatus according to claim 1, further comprising an identification entry device for entry of a personalized identification number prior to entry of the television programming criteria.

17. The television editing apparatus according to claim 1, further comprising a program history library for storing program time and channel information.

18. A television editing apparatus comprising:

an input device for receiving and buffering externally provided television programming information;

a user control for inputting television programming criteria to identify programming;

a program history library for storing information related to viewing habits of a user of the television editing apparatus based on the input television programming criteria; and

a display controller, coupled to the memory means, for controlling display of personalized information about television programming based on the stored information in the program history library.

19. The television editing apparatus according to claim 18, further comprising a monitoring device allowing for monitoring of the program history library of another user.

20. The television editing apparatus according to claim 18, wherein the input device includes means for receiving the television programming information from one of an antenna, a cable, a direct broadcast satellite, a fiber optic cable, and a telephone line.

21. The television editing apparatus according to claim 18, wherein the user control comprises one of an infrared remote control, a keyboard, a card reader, a scanner, and a magnetic disc reader, and a memory recording device.

22. The television editing apparatus according to claim 18, wherein the apparatus is incorporated within a television.

23. The television editing apparatus according to claim 18, wherein the apparatus is external to a television set.

24. The television editing apparatus according to claim 18, wherein the display controller includes means for coupling to a television receiver.

25. The television editing apparatus according to claim 24, wherein the coupling means comprises a video-out connection.

26. The television editing apparatus according to claim 18, wherein the user control comprises an infrared remote control comprising:

- a memory device for storing a previously selected channel number; and
- a signal transceiver for relaying signals between the apparatus and a receiver.

27. The television editing apparatus according to claim 18, wherein a plurality of users can input television programming criteria such that the display controller controls display of personalized information regarding each of the plurality of users.

28. The television editing apparatus according to claim 18, wherein the personalized information is displayed as a picture within a picture on a television display screen.

29. The television editing apparatus according to claim 18 further comprising scanning and displaying means for scanning and displaying selected television programs identified by the personalized information.

30. The television editing apparatus according to claim 18, further comprising an identification entry device for entry of a personalized identification number prior to entry of the television programming criteria.

31. A method of editing program displays comprising:
causing a receiver to acquire extended data from received television programming;

- entering program parameters identifying desired programming;
- building a list of program information based on the extended data and the desired program parameters; and
- displaying the list of program information.

32. The editing method according to claim 31, wherein the acquiring step includes the substep of acquiring the received television programming information from one of an antenna, a cable, a direct broadcast satellite, a fiber optic cable, and a telephone line.

33. The editing method according to claim 31, wherein the acquiring step includes the substep of acquiring the extended data from one of a television, radio, telephone line, and external storage device.

34. The editing method according to claim 31, wherein the entering step includes the substep of entering the program parameters with a user control comprising one of an infrared remote control, a keyboard, a card reader, a scanner, and a magnetic disc reader, and a memory recording device.

35. The editing method according to claim 31, wherein the receiver is incorporated within a television receiver.

36. The editing method according to claim 31, wherein the receiver is external to a television receiver.

37. The editing method according to claim 31, wherein the displaying step includes the substep of coupling to a television receiver.

38. The editing method according to claim 36, wherein the acquiring step comprises the substep of receiving the television programming information via an IF signal output from the television receiver.

39. The editing method according to claim 38, wherein the acquiring step further comprises the substep of detecting the IF signal output from the television receiver via an IF probe coupled to the television receiver.

40. The editing method according to claim 37, wherein the coupling substep comprises coupling to a video-out connection of the television receiver.

41. The editing method according to claim 31, further the step of preventing display of television programming having a rating greater than a preselected rating.

42. The editing method according to claim 31, wherein the entering step comprises:

storing a previously selected channel number; and

relaying signals between an editing apparatus and the receiver.

43. The editing method according to claim 31, wherein a plurality of users can enter program parameters so that a separate list of program information can be displayed for each of the plurality of users.
44. The editing method according to claim 31, comprising the step of displaying the program information as a picture within a picture on a television display screen.
45. The editing method according to claim 31, further comprising the steps of scanning and displaying selected television programs identified by the program information.
46. The editing method according to claim 31, further comprising the step of entering a personalized identification number prior to the step of entering program parameters.
47. The television editing apparatus according to claim 31, further comprising the step of storing program time and channel information in a program history library.
48. A method of editing program displays comprising:
receiving and buffering externally provided television programming information;
inputting television programming criteria to identify programming;
storing information in a program history library related to viewing habits of a user based on the input television programming criteria; and
controlling display of personalized information about television programming based on the stored information in the program history library.
49. The editing method according to claim 48, further comprising the step of monitoring the program history library of another user.
50. The editing method according to claim 48, wherein the receiving step includes the substep of receiving the television programming information from one of an antenna, a cable, a direct broadcast satellite, a fiber optic cable, and a telephone line.

51. The editing method according to claim 48, wherein the inputting step includes the substep of inputting the program parameters with a user control comprising one of an infrared remote control, a keyboard, a card reader, a scanner, and a magnetic disc reader, and a memory recording device.

52. The editing method according to claim 48, wherein the receiving and buffering steps are performed within a television.

53. The editing method according to claim 48, wherein the receiving and buffering steps are performed external to a television.

54. The editing method according to claim 48, wherein the controlling step includes the substep of coupling to a television receiver.

55. The editing method according to claim 54, wherein the coupling substep comprises coupling to a video-out connection of the television receiver.

56. The editing method according to claim 48, wherein the controlling step comprises:

storing a previously selected channel number; and

relaying signals between an editing apparatus and a receiver.

57. The editing method according to claim 48, wherein a plurality of users can enter program parameters so that a separate list of program information can be displayed for each of the plurality of users.

58. The editing method according to claim 48, further comprising the step of displaying the program information as a picture within a picture on a television display screen.

59. The editing method according to claim 48, further comprising scanning and displaying selected television programs identified by the programming criteria.

60. The editing method according to claim 48, further comprising the step of entering a personalized identification number prior to the step of entering program parameters.

1 / 16








FIG. 1

2 / 16

**FIG. 2(a)****FIG. 2(b)**

3 / 16

**FIG. 2(c)****FIG. 2(d)**




FIG. 3




FIG. 4


5 / 16

501

HEX CODE	DESCRIPTIVE KEYWORD	HEX CODE	DESCRIPTIVE KEYWORD	HEX CODE	DESCRIPTIVE KEYWORD
20	EDUCATION	40	FANTASY	60	MUSIC
21	ENTERTAINMENT	41	FARM	61	MYSTERY
22	MOVIE	42	FASHION	62	NATIONAL
23	NEWS	43	FICTION	63	NATURE
24	RELIGIOUS	44	FOOD	64	POLICE
25	SPORTS	45	FOOTBALL	65	POLITICS
26	OTHER	46	FOREIGN	66	PREMIERE
27	ACTION	47	FUND RAISER	67	PRERECORDED
28	ADVERTISEMENT	48	GAME/QUIZ	68	PRODUCT
29	ANIMATED	49	GARDEN	69	PROFESSIONAL
2A	ANTHOLOGY	4A	GOLF	6A	PUBLIC
2B	AUTOMOBILE	4B	GOVERNMENT	6B	RACING
2C	AWARDS	4C	HEALTH	6C	READING
2D	BASEBALL	4D	HIGH SCHOOL	6D	REPAIR
2E	BASKETBALL	4E	HISTORY	6E	REPEAT
2F	BULLETIN	4F	HOBBY	6F	REVIEW
30	BUSINESS	50	HOCKEY	70	ROMANCE
31	CLASSICAL	51	HOME	71	SCIENCE
32	COLLEGE	52	HORROR	72	SERIES
33	COMBAT	53	INFORMATION	73	SERVICE
34	COMEDY	54	INSTRUCTION	74	SHOPPING
35	COMMENTARY	55	INTERNATIONAL	75	SOAP OPERA
36	CONCERT	56	INTERVIEW	76	SPECIAL
37	CONSUMER	57	LANGUAGE	77	SUSPENSE
38	CONTEMPORARY	58	LEGAL	78	TALK
39	CRIME	59	LIVE	79	TECHNICAL
3A	DANCE	5A	LOCAL	7A	TENNIS
3B	DOCUMENTARY	5B	MATH	7B	TRAVEL
3C	DRAMA	5C	MEDICAL	7C	VARIETY
3D	ELEMENTARY	5D	MEETING	7D	VIDEO
3E	EROTICA	5E	MILITARY	7E	WEATHER
3F	EXERCISE	5F	MINISERIES	7F	WESTERN

FIG. 5

6 / 16

**FIG. 6**






FIG. 7(a)

8 / 16


**FIG. 7(b)**

9 / 16

FIG. 8



10 / 16

**FIG. 9**

12 / 16





FIG. 11

14 / 16

**FIG. 13**





FIG. 14

16 / 16



INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/10315

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04N7/088 H04N5/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 721 253 A (SONY ELECTRONICS INC) 10 July 1996	1-7, 10, 13-15, 31-37, 40, 42-45
Y	see column 4, line 56 - column 6, line 47	8, 9, 11, 16, 17, 27-29, 38, 39, 41, 46, 47, 57-59
A	see column 14, line 31 - column 16, line 14 see column 18, line 20 - column 19, line 9 ---	12
Y	US 5 425 100 A (THOMAS WILLIAM L ET AL) 13 June 1995 see column 2, line 63 - column 3, line 42 see column 7, line 61 - column 8, line 16 ---	8, 9, 38, 39
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

8 September 1998

Date of mailing of the international search report

16/09/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Beaudoin, O

INTERNATIONAL SEARCH REPORT

Inter. Appl. No.

PCT/US 98/10315

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, Y	WO 98 12875 A (SOUNDVIEW TECHNOLOGIES INC) 26 March 1998 see the whole document ---	11, 41
Y	WO 96 31980 A (PREVUE INTERNATIONAL INC) 10 October 1996 see page 38, line 25 - page 39, line 33 see page 41, line 8 - line 19 ---	16, 30, 46, 60
X	EP 0 774 866 A (THOMSON CONSUMER ELECTRONICS) 21 May 1997	18, 20-25, 48, 50-55
Y	see the whole document	17, 27-30, 47, 57-60
A	see claim 1	19, 26, 49, 56
X	US 5 479 266 A (YOUNG PATRICK ET AL) 26 December 1995 see column 11, line 50 - column 14, line 37; figure 22A ---	1, 31
A	WO 95 01057 A (APPLE COMPUTER) 5 January 1995 see the whole document -----	1-60

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/10315

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0721253	A	10-07-1996	US 5596373 A	21-01-1997
			BR 9600018 A	21-01-1998
			CA 2166434 A	05-07-1996
			CN 1142161 A	05-02-1997
US 5425100	A	13-06-1995	US 5526427 A	11-06-1996
			CA 2106143 A	26-05-1994
WO 9812875	A	26-03-1998	AU 4480497 A	14-04-1998
WO 9631980	A	10-10-1996	AU 5444196 A	23-10-1996
			EP 0819354 A	21-01-1998
EP 0774866	A	21-05-1997	JP 9200638 A	31-07-1997
US 5479266	A	26-12-1995	US 5479268 A	26-12-1995
			US 5790198 A	04-08-1998
			US 5619274 A	08-04-1997
			CA 2091160 A	11-03-1992
			EP 0548286 A	30-06-1993
			JP 10208328 A	07-08-1998
			JP 6504165 T	12-05-1994
			US 5353121 A	04-10-1994
			US 5727060 A	10-03-1998
			WO 9204801 A	19-03-1992
			US 5532754 A	02-07-1996
WO 9501057	A	05-01-1995	AU 7175894 A	17-01-1995